


AURORA FLUORESCENT EQUIPMENT



JUN 4 - 1940




Daylight at Midnight

THE MID-WEST CHANDELIER CO.

General Offices and Factory

North Kansas City, Missouri



NUMBER F-5-15

Five 15 Watt Fluorescent Tubes
Diameter 10 Inches

NUMBER F-5-20

Five 20 Watt Fluorescent Tubes
Diameter 10 Inches

Aurora Glass Diffusing Panels

Finished in Baked White Enamel with
Polished Chromium Trim

NOTE:

Fixture shown on cover is Number F-35.
Made for five 20 Watt Fluorescent Tubes.
Finished Chromium and White with
Aurora Glass Diffusing Panels.


NUMBER F-15-15

(Below)


Five 15 Watt Fluorescent Tubes
Diameter 9 Inches

NUMBER F-15-20

Five 20 Watt Fluorescent Tubes
Diameter 9 Inches




AURORA FLUORESCEN




NUMBER F-4 FOUR LIGHT

Made to use the 15 Watt, 20 Watt, 30 Watt, or 40 Watt Fluorescent Tube.



NUMBER F-1 ONE LIGHT


Made to use the 15 Watt, 20 Watt, 30 Watt, or 40 Watt Fluorescent Tube.



NUMBER F-2 as PENDANT.

All Models made Pendant Type if specified. Consult Price Sheet for extra charge.


Standard length, 26 inches.



NUMBER F-2 TWO LIGHT

Made to use the 15 Watt, 20 Watt, 30 Watt, or 40 Watt Fluorescent Tube.

Finished in Baked White Enamel and Polished Chromium trim. Aurora Glass Diffusing Panels.



NUMBER F-1 Used as Bracket.

NUMBER F-23-20-P

(Right)

Used as Pendant type.


Three 20 Watt Tubes.

Also made for three 40 Watt
Tubes.

Specify Number F-23-40-P.

All Models made Pendant Type
if specified. Consult Price Sheet
for extra charge.

Standard length, 26 inches.



NUMBER F-22-20


(Below)

Ceiling Type

Two 20 Watt Tubes.

Also made for two 40 Watt
Tubes.

Specify Number F-22-40.




NUMBER F-23-20

Ceiling Type.

Three 20 Watt Tubes.

Also made for three 40 Watt
Tubes.


Specify Number F-23-40.



This line is ideal where bare Fluorescent
in Baked White Enamel with high reflected
aluminum. Note the end caps on the tubes
the sockets. Easily removed for relamping.

A six-inch fitter is available for attaching
wanted. This is only recommended on the
Sheet for prices.


AURORA FLUORESCENT



NUMBER F-25-20
Ceiling Type.
Five 20 Watt Tubes.
Also made for five 40 Watt
Tubes.
Specify Number F-25-40.


Single Light Units without Ceiling Housings, but
with covered top for use as Strip Lighting also made
in 20 Watt, 30 Watt, and 40 Watt sizes. Consult
Price Sheet for data.

NUMBER F-24-20
Ceiling Type.
Four 20 Watt Tubes.
Also made for four 40 Watt
Tubes.
Specify Number F-24-40.



tubes are desired. Beautifully finished
surfaces. The metal portions are cast
which hide the end of the lamps and

fixture to present chain hangers when
20 Watt size, however. Consult Price




NUMBER F-102

Two Light Industrial Reflector
for Forty Watt Tubes.

Made of heavy gauge steel finished Battleship Gray on the outside with Baked Enamel Reflecting surfaces. This enamel is crack and chip resisting and is easily cleaned with a damp cloth. Furnished with T^ulamp Ballast and separate starter switches. Power factor is 90-95. Comes equipped with cord and plug.

HIGH EFFICIENCY! Tests have been made on this unit and on several others made by different manufacturers and the Aurora F-102 was found to be from 5% to 25% more efficient under identical testing conditions.




NUMBER F-101

One Light Industrial Reflector
For 40 Watt Tube.

Description same as on F-102 except that
unit has a power factor of 60-65.






NUMBER F-11

One Light Concentrator. Available for 20 Watt, 30 Watt, or 40 Watt tubes. Made of cast aluminum. Can be used in banks of as many units as desired, used singly or placed end to end. We furnish metal ends for the unit to fit your conditions.

ABOVE
Showing two Number F-11
used side by side.

DIAGRAM SHOWING FOOT CANDLE OUTPUT OF AURORA NO. F-4-40

On Special Installations, write us giving full details and our Engineers will assist you with your layouts.



FIGURES IN CIRCLE ○ ☎ DENOTE FOOT CANDLE READING ON FLOOR

DIAGRAM SHOWING FOOT CANDLE OUTPUT OF AURORA NO F-4-40 WATT
ON CEILING HEIGHTS FROM 8'-0" TO 11'-0".

Aurora Fluorescent Fixtures

The fixtures shown in this catalog are designed with the idea of bringing the benefits of Fluorescent Lighting to every type of interior. They are made in a multitude of different sizes and styles with a price range to fit any appropriation.

All fixtures except the single tube types may be had with Power Factor Corrected Ballasts. See Price Sheet for additional charge. All fixtures approved by the Board of Underwriters. Only electrical devices of the latest type are used.